

Centers for Medicare & Medicaid Services (CMS)

Standard Companion Guide

Health Care Claim: Dental (837D)

Based on ASC X12N TR3, Version 005010X224A2

Companion Guide Version Number: 2.0, January 2025

Disclosure Statement

The Centers for Medicare & Medicaid Services (CMS) is committed to maintaining the integrity and security of health care data in accordance with applicable laws and regulations. Disclosure of Medicare claims is restricted under the provisions of the Privacy Act of 1974 and Health Insurance Portability and Accountability Act of 1996. This Companion Guide is to be used for conducting Medicare business only.

Preface

This Companion Guide (CG) to the ASC X12N Technical Report Type 3 (TR3) Version 005010 and associated errata adopted under Health Insurance Portability and Accountability Act of 1996 (HIPAA) clarifies and specifies the data content when exchanging transactions electronically with Medicare. Transmissions based on this CG, used in tandem with the TR3, are compliant with both ASC X12N syntax and those guides. This CG is intended to convey information that is within the framework of the TR3 adopted for use under HIPAA. This CG is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3.

This CG contains instructions for electronic communications with the publishing entity, as well as supplemental information, for creating transactions while ensuring compliance with the associated ASC X12N TR3s and the Council for Affordable Quality Healthcare – Committee on Operating Rules for Information Exchange (CAQH CORE) companion guide operating rules.

In addition, this CG contains the information needed by Trading Partners to send and receive electronic data with the publishing entity, who is acting on behalf of CMS, including detailed instructions for submission of specific electronic transactions. The instructional content is limited by ASC X12N's copyrights and Fair Use statement.

Table of Contents

Dis	closure Statement	
Pre	face	iii
1	Introduction	1 1
2	Getting Started	3 3
3	Testing and Certification Requirements 3.1 Testing Requirements 3.2 Certification Requirements	6
4	Connectivity / Communications 4.1 Process Flows. 4.2 Transmission 4.2.1 Re-transmission Procedures 4.3 Communication Protocol Specifications 4.4 Security Protocols and Passwords 4.4.1 Guidelines for Creating a "Good" Password	7 8 8
5	Contact Information 5.1 EDI Customer Service 5.2 EDI Technical Assistance 5.3 Trading Partner Service Number 5.4 Applicable Websites / Email	10 10 10
6	Control Segments / Envelopes 6.1 ISA-IEA Delimiters – Inbound Transactions Delimiters – Outbound Transactions Inbound Data Element Detail and Explanation 6.2 GS-GE 6.3 ST-SE	13 13 13 14 14
7	Specific Business Rules	14
8	Acknowledgments and Reports	17

	8.1 Report Inventory	17
9	Trading Partner Agreement	18
10	Transaction-Specific Information	19
	10.1 Header	19
	10.1.1 Header and Information Source	19
	10.1.2 Loop 1000A Submitter Name	20
	10.1.3 Loop 1000B Receiver Name	20
	10.2 Billing Provider	20
	10.2.1 Loop 2000A Billing Provider Detail	21
	10.2.2 Loop 2010AA Billing Provider Name	
	10.2.3 Loop 2010AA Billing Provider City, State, Zip Code	21
	10.3 Subscriber Detail	
	10.3.1 Loop 2000B Subscriber Hierarchical Level	22
	10.3.2 Loop 2010BA Subscriber Name	22
	10.3.3 Loop 2010BB Payer Name	23
	10.4 Patient Detail	25
	10.4.1 Loop 2300 Claim Information	25
	10.4.2 Loop 2310A Referring Provider Name	27
	10.4.3 Loop 2310B Rendering Provider Name	27
	10.4.4 Loop 2310C Service Facility Location	
	10.4.5 Loop 2310E Supervising Provider Name	
	10.4.6 Loop 2320 Other Subscriber Information	28
	10.4.7 Loop 2330A Other Subscriber Name	29
	10.4.8 Loop 2330B Other Payer Name	30
	10.4.9 Loop 2400 Service Line Number	30
	10.4.10 Loop 2420A Rendering Provider Name	31
	10.4.11 Loop 2420C Supervising Provider Name	32
	10.4.12 Loop 2420D Service Facility Location	
	10.4.13 Loop 2430 Line Adjudication Information	
	10.4.14 Transaction Set Trailer	33
11	Appendices	33
	11.1 Implementation Checklist	33
	11.2 Transmission Examples	34
	11.3 Frequently Asked Questions	34
	11.4 Acronym Listing	
	11.5 Change Summary	37

List of Tables

Table 1. EDI Transactions and Code Set References	2
Table 2. Additional EDI Resources	
Table 3. ISA Interchange Control Header	11
Table 4. GS Functional Group Header	12
Table 5. Outbound Transaction Delimiters	14
Table 6. Segment / Elements Not Accepted by Medicare	15
Table 7. ST Transaction Set Header	19
Table 8. BHT Beginning of Hierarchical Transaction	19
Table 9. Loop 1000A NM1 Submitter Name	20
Table 10. Loop 1000B NM1 Receiver Name	
Table 11. Loop 2000A Billing Provider Detail	21
Table 12. Loop 2010AA NM1 Billing Provider Name	
Table 13. Loop 2010AA N4 Billing Provider City, State, Zip code	
Table 14. Loop 2000B HL Subscriber Hierarchical Level	
Table 15. Loop 2000B SBR Subscriber Information	
Table 16. Loop 2010BA NM1 Subscriber Name	23
Table 17. Loop 2010BA DMG Subscriber Demographic Information	
Table 18. Loop 2010BB NM1 Payer Name	
Table 19. Loop 2300 CLM Claim Information	
Table 20. Loop 2300 DTP Date Elements	
Table 21. Loop 2300 PWK Claim Supplement Information	
Table 22. Loop 2300 HI Health Care Diagnosis Code	
Table 23. Loop 2310A NM1 Referring Provider Name	
Table 24. Loop 2310B NM1 Rendering Provider Name	27
Table 25. Loop 2310C N4 Service Facility Location	
Table 26. Loop 2310E NM1 Supervising Provider Name	
Table 27. Loop 2320 SBR Other Subscriber Information	
Table 28. Loop 2320 CAS Claim Level Adjustments	
Table 29. Loop 2320 AMT COB Payer Paid Amount	29
Table 30. Loop 2330A NM1 Other Subscriber Name	
Table 31. Loop 2330A REF Other Subscriber Secondary Identification	29
Table 32. Loop 2330B DTP Claim Check or Remittance Date	
Table 33. Loop 2400 SV3 Dental Service	
Table 34. Loop 2400 DTP Service Date	31
Table 35. Loop 2420A NM1 Rendering Provider Name	31
Table 36. Loop 2420C NM1 Supervising Provider Name	32
Table 37. Loop 2420D N4 Service Facility Location	32
Table 38. Loop 2430 SVD Line Adjudication Information	32
Table 39. Loop 2430 DTP Line Check or Remittance Date	33
Table 40. SE Transaction Set Trailer	33
Table 41. Acronyms Listing and Definitions	35

List of Figures

1 Introduction

This document is intended to provide information from the author of this guide to Trading Partners to give them the information they need to exchange Electronic Data Interchange (EDI) data with the author. This includes information about registration, testing, support, and specific information about control record setup.

An EDI Trading Partner is defined as any Medicare customer (e.g., provider/supplier, billing service, clearinghouse, or software vendor) that transmits to, or receives electronic data from Medicare. Medicare's EDI transaction system supports transactions adopted under the Health Insurance Portability and Accountability Act of 1996 (HIPAA) as well as additional supporting transactions as described in this guide.

Medicare Fee-For-Service (FFS) is publishing this Companion Guide (CG) to clarify, supplement, and further define specific data content requirements to be used in conjunction with, and not in place of, the ASC X12N Technical Report Type 3 (TR3) Version 005010 and associated errata mandated by HIPAA and/or adopted by Medicare FFS for EDI.

This CG provides communication, connectivity, and transaction-specific information to Medicare FFS Trading Partners and serves as the authoritative source for Medicare FFS-specific EDI protocols.

Additional information on Medicare FFS EDI practices are referenced within Internet-only Manual (IOM) Pub. 100-04 Medicare Claims Processing Manual:

Chapter 24 – <u>General EDI and EDI Support, Requirements, Electronic Claims, and Mandatory Electronic Filing of Medicare Claims</u> (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/clm104c24.pdf)

1.1 Scope

EDI addresses how Trading Partners exchange professional, dental and institutional claims, claim acknowledgments, claim remittance advice, claim status inquiry and responses, and eligibility inquiry and responses electronically with Medicare. This CG also applies to ASC X12N 837D transactions that are being exchanged with Medicare by third parties, such as clearinghouses, billing services or network service vendors.

This CG provides technical and connectivity specification for the 837 Health Care Claim: Dental transaction Version 005010A2.

1.2 Overview

This CG includes information needed to commence and maintain communication exchange with Medicare. In addition, this CG has been written to assist you in designing and implementing the ASC X12N 837D transaction standard to meet Medicare's processing standards. This information is organized in the sections listed below:

Getting Started: This section includes information related to hours of operation, and data services.
 Information concerning Trading Partner registration and the Trading Partner testing process is also included in this section.

- Testing and Certification Requirements: This section includes detailed transaction testing information as well as certification requirements needed to complete transaction testing with Medicare.
- Connectivity/Communications: This section includes information on Medicare's transmission procedures as well as communication and security protocols.
- *Contact Information:* This section includes EDI customer service, EDI technical assistance, Trading Partner services and applicable websites.
- Control Segments/Envelopes: This section contains information needed to create the Interchange Control Header/Trailer (ISA/IEA), Functional Group Header/Trailer (GS/GE), and Transaction Set Header/Trailer (ST/SE) control segments for transactions to be submitted to or received from Medicare.
- Specific Business Rules and Limitations: This section contains Medicare business rules and limitations specific to the ASC X12N 837D.
- Acknowledgments and Reports: This section contains information on all transaction acknowledgments sent by Medicare and report inventory.
- *Trading Partner Agreement:* This section contains information related to implementation checklists, transmission examples, Trading Partner Agreements and other resources.
- *Transaction Specific Information:* This section describes the specific CMS requirements over and above the information in the ASC X12N 837D TR3.

1.3 References

The following locations provide information for where to obtain documentation for Medicare-adopted EDI transactions and code sets.

Table 1. EDI Transactions and Code Set References

Resource	Location
ASC X12N TR3s	The official ASC X12 website.
Washington Publishing Company Health Care Code Sets	The official Washington Publishing Company website.

1.4 Additional Information

The websites in the following table provide additional resources for HIPAA Version 005010A2 implementation:

Table 2. Additional EDI Resources

Resource	Web Address	
Medicare FFS EDI Operations	https://www.cms.gov/ElectronicBillingEDITrans/	

2 Getting Started

2.1 Working Together

National Government Service (NGS) is dedicated to providing communication channels to ensure communication remains constant and efficient. NGS has several options to assist the community with their electronic data exchange needs. By using any of these methods NGS is focused on supplying the Trading Partner community with a variety of support tools.

An EDI help desk is established for the first point of contact for basic information and troubleshooting. The help desk is available to support most EDI questions/incidents while at the same time being structured to triage each incident if more advanced research is needed. Email is also accessible as a method of communicating with NGS EDI. The email account is monitored by knowledgeable staff ready to assist you. When communicating via email, please exclude any protected health information (PHI) to ensure security is maintained. In addition to the NGS's EDI help desk and email access, see Section 5 for additional contact information.

NGS also has several external communication components in place to reach out to the Trading Partner community. NGS posts all critical updates, system issues and EDI-specific billing material to their website (https://www.ngsmedicare.com/). All Trading Partners are encouraged to visit this page to ensure familiarity with the content of the site. NGS also distributes EDI pertinent information in the form of an EDI newsletter or comparable publication, which is posted to the website every month. In addition to the website, a distribution list has been established in order to broadcast urgent messages. Please register for the NGS distribution list (https://www.ngsmedicare.com/) by selection "Subscribe to Email Updates," to register with the appropriate line of business.

Specific information about the above-mentioned items can be found in the following sections.

2.2 Trading Partner Registration

An EDI Trading Partner is any entity (provider, billing service, clearinghouse, software vendor, employer group, financial institution, etc.) that transmits electronic data to, or receives electronic data from, another entity.

Medicare FFS and NGS support many different types of Trading Partners or customers for EDI. To ensure proper registration, it is important to understand the terminology associated with each customer type:

Submitter – the entity that owns the submitter ID associated with the health care data being submitted. It is most likely the provider, hospital, clinic, supplier, etc., but could also be a third party submitting on behalf of one of these entities. However, a submitter must be directly linked to each billing National Provider Identifier (NPI). Often the terms submitter and Trading Partner are used interchangeably because a Trading Partner is defined as the entity engaged in the exchange or transmission of electronic transactions. Thus, the entity that is submitting electronic administrative transactions to NGS is a Medicare FFS Trading Partner.

- Vendor an entity that provides hardware, software, and/or ongoing technical support for covered
 entities. In EDI, a vendor can be classified as a software vendor, billing or network service vendor, or
 clearinghouse.
- Software Vendor an entity that creates software used by Trading Partners to conduct the exchange of
 electronic transactions with Medicare FFS.
- Billing Service a third party that prepares and/or submits claims for a provider.
- Clearinghouse a third party that submits and/or exchanges electronic transactions (claims, claim status or eligibility inquiries, remittance advice, etc.) on behalf of a provider.
- Network Service Vendor a third party that provides connectivity between a Trading Partner and NGS.

Medicare requires all trading partners to complete EDI registration and sign an EDI Enrollment form. The EDI enrollment form designates the Medicare contractor and/or Common Electronic Data Interchange (CEDI) as the entity they agree to engage in for EDI and ensures agreement between parties to implement standard policies and practices to ensure the security and integrity of information exchanged.

Entities processing paper do not need to complete an EDI registration.

To register with NGS EDI, providers must complete the following registration forms:

- The EDI Enrollment Agreement which indicates provider's acceptance to comply with CMS instructions for us of electronic transactions.
- The EDI Registration Form to request a submitter identifier (ID).

If the provider will be using a clearinghouse or other third-party billing service, the provider must also submit an EDI Registration Form. A clearinghouse or other third-part billing service may register for a submitter ID by completing the EDI Registration Form. Third party submitters will not be issued a submitter ID unless a provider has submitted an EDI Registration form authorizing the third party to perform EDI transactions on their behalf.

The EDI registration forms are submitted online via the <u>NGS website</u> (https://www.NGSMedicare.com), select Resources, > EDI Enrollment option.

Under HIPAA, EDI applies to all covered entities transmitting the following HIPAA-established administrative transactions: 837I, 837P and 837D, 835, 270/271, 276/277, and the National Council for Prescription Drug Programs (NCPDP) D.O. Additionally, Medicare Administrative Contractors (MACs) and Common Electronic Data Interchange (CEDI) will use the Interchange Acknowledgment (TA1), Implementation Acknowledgment (999), and 277 Claim Acknowledgement (277CA) error-handling transactions.

Medicare requires that NGS furnish information on EDI to new Trading Partners that request Medicare claim privileges. Additionally, Medicare requires NGS to assess the capability of entities to submit data electronically, establish their qualifications (see test requirements in Section 3), and enroll and assign submitter EDI identification numbers to those approved to use EDI.

A provider must obtain an NPI and furnish that NPI to NGS prior to completion of an initial EDI Enrollment Agreement and issuance of an initial EDI number and password by that contractor. NGS is required to verify that NPI is on the Provider Enrollment Chain and Ownership System (PECOS). If the NPI is not verified on the PECOS, the EDI Enrollment Agreement is denied, and the provider is encouraged to contact the appropriate MAC provider enrollment department (for Medicare Part A and Part B provider) or the National Supplier Clearinghouse (for Durable Medical Equipment suppliers) to resolve the issue. Once the NPI is properly verified, the provider can reapply the EDI Enrollment Agreement.

A Trading Partner's EDI number and password serve as an electronic signature and the Trading Partner would be liable for any improper usage or illegal action performed with it. A Trading Partner's EDI access number and password are not part of the capital property of the Trading Partner's operation and may not be given to a new owner of the Trading Partner's operation. A new owner must obtain their own EDI access number and password.

If providers elect to submit/receive transactions electronically using a third party such as a billing agent, a clearinghouse, or network services vendor, then the provider is required to have an agreement signed by that third party. The third party must agree to meet the same Medicare security and privacy requirements that apply to the provider in regard to viewing or using Medicare beneficiary data. These agreements are not to be submitted to Medicare but are to be retained by the provider. Providers will notify NGS which third party agents they will be using on their EDI Enrollment form.

Third parties are required to register with NGS by completing the third-party agreement form. This will ensure that their connectivity is completed properly, however they may need to enroll in mailing lists separately in order to receive all publications and email notifications. Additional third-party billing information can be found on the NGS Website (https://www.NGSMedicare.com).

Trading Partners must also be informed that they are not permitted to share their personal EDI access number and password with any billing agent, clearinghouse, or network service vendor. Trading Partners must also not share their personal EDI access number with anyone on their own staff who does not need to see the data for completion of a valid electronic claim, to process a remittance advice for a claim, to verify beneficiary eligibility, or to determine the status of a claim. No other non-staff individuals or entities may be permitted to use a Trading Partner's EDI number and password to access Medicare systems. Clearinghouse and other third-party representatives must obtain and use their own unique EDI access number and password from NGS. For a complete reference to security requirements, see Section 4.4.

2.3 Trading Partner Certification and Testing Process

New NGS submitters are required to test with NGS. The exception is new submitters who are using an approved vendor software package.

Claims Testing

- Testing is available to all submitters 24/7.
- A minimum of 5 test 837 claims should be submitted. (ISA15 Test/Prod Indicator submitted with a 'T').

- The TRN report and acknowledgement transactions TA1 and 999 will be available within minutes.
- The 277 Claims Acknowledgment (277CA) will follow within 2 hours of the TA1 and 999 transactions.
- The acknowledgement transactions will require translation to a 'human readable' or text format. See Section 8 for more detail on Reports and Acknowledgments Test claims will not be sent to the claims systems.
- Production Criteria for 837 Claims:
 - Level I syntax compliance 100%.
 - o 999 Acknowledgement status is 'Accepted'.
 - o Level Medicare situational and business edit compliance 95%.
 - 277 Claims Acknowledgement indicates 95% claim acceptance.
 - Trading Partners will be notified with approval for production for 837 claims submission.

3 Testing and Certification Requirements

3.1 Testing Requirements

All submitters must produce accurate electronic test files before being allowed to submit claim transactions in production. Test claims are subject to ASC X12N standard syntax and TR3 semantic data edits. Documentation will be provided when this process detects errors.

- Standard syntax testing validates the programming of the incoming file and includes file layout, record sequencing, balancing, alpha-numeric/numeric/date file conventions, field values, and relational edits.
 Test files must pass 100 percent of the standard syntax tests before submission to production is approved.
- TR3 Semantic Data testing validates data required for claims processing, e.g., procedure/ diagnosis codes, modifiers. A submitter must demonstrate, at a minimum, 95 percent accuracy rate in data testing before submission in production is approved where, in the judgment of NGS, the vendor/submitter will make the necessary correction(s) prior to submitting a production file. For MACs, the minimum 95 percent accuracy rate includes the front-end edits applied implementation guide editing module on the MGS website (https://www.NGSMedicare.com) by selecting Resource > EDI Enrollment.
 - Test results will be provided to the submitter within three business days; during HIPAA version transitions this time period may be extended, not to exceed ten business days.

Many submitters use the same software, or the same clearinghouse to submit their electronic transactions to Medicare. Trading Partners do not need to test if they are using an approved software vendor. Trading Partners may see if their vendor has passed testing or to locate an approved vendor on the MGS website (https://www.NGSMedicare.com), select the Resources > EDI Enrollment.

Trading Partners who submit transactions directly to more than one MAC must contact each MAC with whom they exchange EDI transactions to inquire about the need for supplemental testing whenever they plan to begin to use an additional EDI transaction, different or significantly modified software for submission of a previously used EDI transaction, or before a billing agent or clearinghouse begins to submit transactions on behalf of an additional Trading Partner. The individual MAC may need to retest at that time to re-establish compatibility and accuracy, particularly if there will also be a change in the telecommunication connection to be used.

Billing services and clearinghouses are not permitted to begin to submit or receive EDI transactions on behalf of a provider prior to submission of written authorization by the provider that the billing agent or clearinghouse has been authorized to handle those transactions on the provider's behalf. See Section 2.2 for further information on EDI enrollment.

3.2 Certification Requirements

Medicare FFS does not certify Trading Partners. However, NGS does certify vendors, clearinghouses, and billing services by conducting testing with them and maintaining an approved vendor list that can be accessed on the NGS website (https://www.NGSMedicare.com), select the Resources > EDI Enrollment.

4 Connectivity / Communications

4.1 Process Flows

Process flows for batch submissions of the HIPAA Transactions Sets can be found in the front matter of the applicable TR3.

NGS supports two EDI Gateways. Requirements for telecommunications for each Gateway are as follows:

sFTP Gateway

All submitters (providers and third-parties) must contract with an NGS Network Service Vendor (NSV) for connectivity to the Secure File Transfer Protocol (sFTP) Gateway. The list of approved NGS NSVs is available on the NGS website (https://www.NGSMedicare.com), under Resources, and then EDI Solutions, then select the link for Network Service Vendors.

Internet Gateway

In addition to the sFTP Gateway solution, Trading Partners have the option to send/receive batch 276 Claim Status Inquiry transactions, 277 Response Transactions and receive 835 transactions via an NGS Internet EDI Gateway. This Internet solution has been developed to be compliant with CAQH/CORE Phase I, II and Phase III Batch and Telecommunications Operating Rules, excluding real time. The TA1 and 999 Transactions will also be available for download in response to 276 transactions.

Note: The Internet Gateway does not support batch file transfer of Medicare 837 Institutional, Professional or Dental claims at this time.

4.2 Transmission

NGS sFTP Gateway is accessed through an NGS-approved NSV. NGS requires use of the sFTP protocol for file transfer.

A list of the approved NGS NSVs, can be found on the <u>NGS website</u> (https://www.NGSMedicare.com), under the Resources, select EDI Solutions, then select Network Service Vendors.

4.2.1 Re-transmission Procedures

Submitters should not retransmit any file that has successfully passed EDI front-end editing without specific instruction from NGS.

Submitters may retransmit any file that has failed front-end editing once the file has been corrected.

4.3 Communication Protocol Specifications

NGS supports Secured FTP (sFTP) protocol for all EDI file transfer activity through the NGS sFTP Gateway. Connectivity to this gateway is obtained through an NGS-approved NSV.

The NGS Internet Gateway requires the following protocols:

- HTTP/S V1.1
- HTTP/MIME; or
- SOAP/WSDL

4.4 Security Protocols and Passwords

All Trading Partners must adhere to CMS information security policies; including, but not limited to, the transmission of electronic claims, claim status, receipt of the remittance advice, or any system access to obtain beneficiary PHI and/or eligibility information. Violation of this policy will result in revocation of all methods of system access. NGS is responsible for notifying all affected Trading Partners as well as reporting the system revocation to CMS.

EDI Submitter IDs will suspend after 30 days of inactivity.

4.4.1 Guidelines for Creating a "Good" Password

Most security breaches are a direct result of users selecting "bad" passwords. The selection of a "good" password is critical to ensuring the security and integrity of your health care information. A good password is one that is difficult for others to guess and yet is easily remembered by the user.

Passwords will expire every sixty days.

The following basic guidelines should help when creating a password:

DO

- Must be exactly eight (8) characters in length.
- Must contain both alphabetic and numeric characters in the password.
- Must contain at least 1 uppercase and 1 lowercase letter.
- Must contain a special character; for example: ! \$ %.
- Passwords are case sensitive.
- Must contain a minimum of four (4) characters different than the previous password.
- Must be different than the last nine (12) passwords.
- May not be changed more than once in any 24—hour rolling period.

DON'T

- Do not use English defined words.
- Do not use your user ID or any permutation of it as the password.
- Do not use your company name, department name, or any permutation of it as a password.
- Do not use your name or initials in any form.
- Do not use family members or pets as part of the password.
- Do not use swear words or obscene words; they're among the first words tried when guessing passwords.
- Do not write down your password.
- Do not reuse your password.
- Do not store your password in scripts, files, or applications unless compensating controls are in place.
- Do not use any form of date such as month, day, year, etc.

5 Contact Information

5.1 EDI Customer Service

EDI Help Desk:

• J6: 877-273-4334

• JK: 888-379-9132

EDI Help Desk hours:

7:00 a.m.-4:00 p.m. CT / 8:00 a.m.-5:00 p.m. ET

Inquiries can be sent using the EDI Help Desk Email Inquiry Form found on the <u>NGS Website</u> (https://www.NGSMedicare.com), select Resources, Contact Us, follow the link to the EDI Help Desk Information.

5.2 EDI Technical Assistance

See Section 5.1 for Technical Assistance information.

5.3 Trading Partner Service Number

For questions on claims in the claim's systems or questions on remittance payments, contact the Provider Customer Care or the IVR number.

JK:

IVR: 877-567-7205

Toll-Free Number: 888-855-4356

TTY: 866-786-7155

J6:

Illinois, Wisconsin, and Federally Qualified Health Centers: IVR: 877-567-7206

Toll-Free Number: 877-702-990

• TTY: 888-897-7523

Hours Available:

Monday – Friday, 7:00 a.m.-4:00 p.m. CT / 8:00 a.m.-5:00 p.m. ET

Thursdays closed for training: 1:00-3:00 p.m. CT / 2:00-4:00 p.m. ET

5.4 Applicable Websites / Email

Refer to Sections 1.4 for applicable websites and Section 5 for email contact.

6 Control Segments / Envelopes

Enveloping information must be as follows:

Table 3. ISA Interchange Control Header

Page #	Element	Name	Codes/Content	Notes/Comments
C.4	ISA01	Authorization Information Qualifier	00	Medicare expects the value to be 00.
C.4 ISA02 Authorization - Information		-	ISA02 shall contain 10 blank spaces.	
C.4	ISA03	Security Information Qualifier	00	Medicare expects the value to be 00 and ISA04 shall contain 2 blank spaces.
C.4	ISA04	Security Information	-	Medicare does not use Security Information and will ignore content sent in ISA04.
C.4	ISA05	Interchange ID Qualifier	ZZ	Must be "ZZ"
C.4	ISA06	Interchange Sender ID	-	NGS assigned Submitter ID. This is also required in the GS02.
C.5	ISA07	Interchange ID Qualifier	ZZ	Must be "ZZ"

Page #	Element	Name	Codes/Content	Notes/Comments
C.5	ISA08	Interchange Receiver	-	NGS contractor number:
		ID		Connecticut 13102
				• Illinois 06102
				• Maine 14112
				Massachusetts 14212
				Minnesota 06202
				New Hampshire 14312
				New York (Upstate) 13282
				New York (Downstate) 13202
				New York (Queens) 13292
				Rhode Island 14412
				• Vermont 14512
				Wisconsin 06302
C.5	ISA11	Repetition Separator	-	Defined by the submitter
C.6	ISA14	Acknowledgement Requested	1	Medicare requires submitter to send code value 1 – Interchange Acknowledgment Requested (TA1).
				Medicare will only return a TA1 segment when there is an error in the ISA/IEA Interchange Envelope.

Table 4. GS Functional Group Header

Page #	Element	Name	Codes/Content	Notes/Comments
C.7	GS02	Application Sender's Code	-	Submitter number assigned by NGS

Page #	Element	Name	Codes/Content	Notes/Comments
C.7	GS03	Application Receiver's	-	NGS contractor number:
		Code		Connecticut 13102
				• Illinois 06102
				• Maine 14112
				Massachusetts 14212
				Minnesota 06202
				New Hampshire 14312
				New York (Upstate) 13282
				New York (Downstate) 13202
				New York (Queens) 13292
				Rhode Island 14412
				• Vermont 14512
				Wisconsin 06302
C.7	GS04	Functional Group Creation Date	-	Must not be a future date
C.8	GS08	Version Identifier Code	005010X224A2	Medicare expects value "005010X224A2"

Interchange Control (ISA/IEA), Functional Group (GS/GE), and Transaction Set (ST/SE) envelopes must be used as described in the TR3. Medicare's expectations for the Control Segments and Envelopes are detailed in Sections 6.1, 6.2, and 6.3.

6.1 ISA-IEA

Delimiters – Inbound Transactions

As detailed in the TR3, delimiters are determined by the characters sent in specified, set positions of the ISA header. For transmissions inbound to Medicare FFS, these characters are determined by the submitter and can be any characters as defined in the TR3 and must not be contained within any data elements within the ISA/IEA Interchange Envelope.

Delimiters – Outbound Transactions

Trading Partners should contact NGS for a list of delimiters to expect from Medicare.

Note that these characters will not be used in data elements within an ISA/IEA Interchange Envelope.

Table 5. Outbound Transaction Delimiters

Delimiter	Character Used	Dec Value	Hex Value
Data Element Separator	*	42	2A
Repetition Separator	^	94	5E
Component Element Separator	>	62	3E
Segment Terminator	~	126	7E

Inbound Data Element Detail and Explanation

All data elements within the ISA/IEA interchange envelope must follow ASC X12N syntax rules as defined within the TR3.

6.2 **GS-GE**

Functional group (GS-GE) codes are transaction specific. Therefore, information concerning the GS/GE Functional Group Envelope can be found in Table 4.

6.3 ST-SE

Medicare FFS follows the HIPAA-adopted TR3 requirements.

7 Specific Business Rules

This section describes the specific CMS requirements over and above the standard information in the TR3.

7.1 General Notes

Errors identified for business level edits performed prior to the Subscriber loop (2000B) will result in immediate file failure at that point. When this occurs, no further editing will be performed beyond the point of failure.

The billing provider must be associated with an approved electronic submitter. Claims submitted for billing providers that are not associated to an approved electronic submitter will be rejected. The following table describes segments/ elements not accepted by Medicare.

Table 6. Segment / Elements Not Accepted by Medicare

Page #	Loop ID	Reference	Name	Codes/Content	Notes/Comments
79	2000A	CUR	Foreign Currency Information	-	Medicare does not support the submission of foreign currency.
91	2010AA	REF	Billing Provider UPIN/License Information	-	Must not be present.
101	2010AC	Loop Rule	Pay to Plan Name	-	Must not be present.
122	2010BA	REF	Subscriber Secondary Identification (REF01 = "SY")	-	Must not be present.
129	2010BB	REF	Payer Secondary Identification	-	Must not be present.
131	2010BB	REF	Billing Provider Secondary Identification	-	Must not be present.
133	2000C	HL	Patient Hierarchical Level	-	Must not be present. For Medicare, the subscriber is always the same as the patient.
135	2000C	PAT	Patient Information	-	Must not be present. For Medicare, the subscriber is always the same as the patient.
137	2010CA	Loop Rule	Patient Name	-	Must not be present.
168	2300	REF	Payer Claim Control Number	-	Must not be present.
259	2330C	Loop Rule	Other Payer Referring Provider	-	Must not be present.
263	2330D	Loop Rule	Other Payer Rendering Provider	-	Must not be present.

Page #	Loop ID	Reference	Name	Codes/Content	Notes/Comments
267	2330E	Loop Rule	Other Payer Supervising Provider	-	Must not be present.
271	2330F	Loop Rule	Other Payer Billing Provider	-	Must not be present.
274	2330G	Loop Rule	Other Payer Service Facility Location	-	Must not be present.
277	2330H	Loop Rule	Other Payer Assistant Surgeon	-	Must not be present.
296	2400	CN1	Contract Information	-	Must not be present.
311	2400	НСР	Line Pricing/Repricing Information	-	Must not be present.

7.2 General Transaction Notes

The following are Medicare-specific general rules pertaining to the 837D transaction:

- MSP information submitted on the claim will not be applied at this time.
- Adjustment or reprocessing of claims is not currently available.
- Overpayments and/or voluntary refunds is not currently available.
- Coordination of Benefits (COB) is not currently available.
- Interactive Voice Response (IVR) will not support 837 Dental claims inquiries at this time.
- The maximum number of characters to be submitted in any dollar amount field is seven characters. Claims containing a dollar amount in excess of 99,999.99 will be rejected.
- Claims that contain percentage amounts with values in excess of 99.99 will be rejected.
- With the exception of the CAS segment, all amounts must be submitted as positive amounts. Negative amounts submitted in any non-CAS amount element will cause the claim to be rejected.
- Claims that contain percentage amounts cannot exceed two positions to the left or the right of the decimal. Percent amounts that exceed their defined size limit will be rejected.
- Only loops, segments, and data elements valid for the TR3 will be translated. Submitting invalid data will cause files to be rejected.

- Medicare requires the NPI be submitted as the identifier for all claims. Claims submitted with legacy identifiers will be rejected.
- National Provider Identifiers will be validated against the NPI algorithm. Claims which fail validation will be rejected.
- The MAC will only accept claims for one line of business per transaction. Claims submitted for multiple lines of business within one ST-SE (Transaction Set) will cause the transaction to be rejected.
- Submissions with more than one GS-GE (Functional Group) per ISA-IEA (interchange) will be rejected.

8 Acknowledgments and Reports

Medicare has adopted three acknowledgement transactions with the Version 005010 implementation: the 277CA, the TA1, and the 999.

Medicare FFS has adopted a process to only reject claim submissions that are out of compliance with the ASC X12N Version 005010 standard; the appropriate response for such errors will be returned on a 999. Batch submissions with errors will not be rejected in totality, unless warranted.

8.1 Report Inventory

Transaction Acknowledgment (TRN) Report

The TRN is a text report file indicating initial validation of the inbound claims file, including whether or not a claims file was identified as being an American National Standards Institute (ANSI) file.

- The naming format is trn.(input filename).txt.#### where ##### is a sequence number generated by EDI Systems For example: trn.TRANS.837.041313.txt.52731.
- For TRNs generated in response to transactions sent via the sFTP and the Internet Gateway with spaces in the file name "ABC 123 DEF", the naming convention, will replace spaces with underscores and is as follows: TRN.ABC 123 DEF.##### (##### = 5-digit sequence number) For example: TRN.ABC_123_DEF.12345.
- The TRN will contain the Time Stamp, File Name, Trading Partner ID, and Original File size of the received claim file.

Transaction Acknowledgement (TA1)

- The TA1 segment indicates whether there are problems encountered with the X12 interchange control structure.
- The TA1 will not be returned if the originally submitted data was not recognized as an X12 formatted File.

For TA1s generated in response to transactions sent via the sFTP and the Internet Gateway, the file naming convention is as follows: TA1.File Name.#### (4 digit sequence number). For example: TA1.FileName.1234

- For TA1's generated in response to transactions sent via the sFTP and the Internet Gateway with spaces in the file name "ABC 123 DEF", the naming convention, will replace spaces with underscores and is as follows: TRN.ABC 123 DEF.#### (#### = 4-digit sequence number). For example: TA1.ABC 123 DEF.1234.
- The TA1 will return standard ANSI X12 reasons for the rejection of a submitted file based on control structures.
- The TA1 will use the delimiters from the submitted file as the delimiters in the TA1. For example, using > as the Component Element Separator in the inbound claims file will cause the TA1 to return the > as the Component Element Separator.

Implementation Acknowledgement for Health Care Insurance (999)

- The 999 is an ANSI file indicating results of data integrity analysis of the claims file.
- The naming format is 999.XXXXX. XXXXXXXXXXXXXXXXX.####__00001. XXXXXXXXXXXXXXXXX,#### where ##### & #### are the sequence numbers and Xs are data from our internal processes. For example: 999.06302.20230918131929.02630 00001.20230918142457.7616.
- The 999 will return standard delimiters regardless of those used in the claims file.
- If the 999 is rejected at the Functional Group Response Trailer (AK9), the 999 will instead return the delimiters used in the original submitted file.
- The 999 will be "wrapped," with all segments on one long line of data.

Claims Acknowledgement (277CA)

- The 277CA is an ANSI X12 transaction indicating results of Medicare front end editing of the claims file.
- The naming format is 277CA_X12_20170317 (date in CCYYMMDD) 004413 (time in HHMMSS).####;
 where #### is the sequence number.
- The 277CA will return standard delimiters regardless of those used in the claims file.
- The 277CA will be "wrapped", with all segments on one long line of data.

9 Trading Partner Agreement

EDI Trading Partner Agreements ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

Medicare FFS requires all Trading Partners to sign a Trading Partner Agreement with NGS. This agreement can be found on the NGS website (https://www.ngsmedicare.com/).

Additionally, NGS requires the following: for trading partner testing: Submission of an EDI Registration Form when contracting with a third party (clearinghouse, billing service) to perform EDI transactions on behalf of a provider. NGS also requires obtaining connectivity to the NGS EDI Gateway through one of the NGS approved NSVs. A list of the NSVs can be found on the NGS Website (https://www.ngsmedicare.com/), select Resources, > EDI Solutions, > Network Service Vendors.

10 Transaction-Specific Information

This section defines specific CMS requirements over and above the standard information in the ASC X12N 837D TR3.

10.1 Header

The following sub-sections contain specific details associated with header.

10.1.1 Header and Information Source

The following tables define the specific details associated with Header and Information Source:

Notes:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 7. ST Transaction Set Header

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
65	N/A	ST02	Transaction Set Control Number	-	9	NGS will reject an interchange (transmission) that is not submitted with unique values in the STO2 (Transaction Set Control Number) elements.

Table 8. BHT Beginning of Hierarchical Transaction

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
66	N/A	внт02	Transaction Set Purpose Code	00	2	Must equal "00" (ORIGINAL).
67	N/A	внто6	Claim/Encounter Identifier	СН	2	Must equal "CH" (CHARGEABLE).

10.1.2 Loop 1000A Submitter Name

The following table defines the specific details associated with Loop 1000A Submitter Name:

Note: A hyphen in the table below means N/A.

Table 9. Loop 1000A NM1 Submitter Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
70	1000A	NM105	Submitter Middle Name or Initial	-	25	The first position must be alphabetic (A-Z).
70	1000A	NM109	Submitter ID	-	80	NGS will reject an interchange (transmission) that is submitted with a submitter identification number that is not authorized for electronic claim submission. Submitter ID must match the value submitted in ISA06 and GS02.

10.1.3 Loop 1000B Receiver Name

The following table defines the specific details associated with Loop 1000B Receiver Name:

Note: A hyphen in the table below means N/A.

Table 10. Loop 1000B NM1 Receiver Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
75	1000B	NM109	Receiver Primary Identifier	-	80	NGS will reject an interchange (transmission) that is not submitted with a valid NGS contractor code. Each individual MAC determines this identifier. Receiver ID must match the value submitted in ISA08 and GS03.

10.2 Billing Provider

The following sub-sections contain specific details associated with Billing Provider.

10.2.1 Loop 2000A Billing Provider Detail

The following table defines the specific details associated with Loop 2000A Billing Provider.

Table 11. Loop 2000A Billing Provider Detail

Loop ID	Notes/Comments
2000A	The Billing Provider Detail Section of this CG contains no unique CMS Medicare requirements that differ from the TR3. Refer to the TR3 specifications for the following Loops: 2000A, 2010AA, 2010AB.
2010AA	NM109: billing provider must be "associated" to the submitter (from a Trading Partner management perspective) in 1000A NM109. NGS will provide appropriate direction to VA providers.

10.2.2 Loop 2010AA Billing Provider Name

The following table defines the specific details associated with Loop 2010AA Billing Provider Name.

Note: A hyphen in the table below means N/A.

Table 12. Loop 2010AA NM1 Billing Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
84	2010AA	NM105	Billing Provider Middle Name or Initial	-	25	The first position must be alphabetic (A-Z).

10.2.3 Loop 2010AA Billing Provider City, State, Zip Code

The following table defines the specific details associated with Loop 2010AA Billing Provider City, State, Zip Code.

Table 13. Loop 2010AA N4 Billing Provider City, State, Zip code

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
88	2010AA	N403	Billing Provider Postal Code	-	15	When the postal code does not include a +4 value, use 9998.

10.3 Subscriber Detail

The following sub-sections contain specific details associated with Subscriber.

10.3.1 Loop 2000B Subscriber Hierarchical Level

The following tables define the specific details associated with Loop 2000B Subscriber Hierarchical Level.

Note: A new table exists for each segment.

Table 14. Loop 2000B HL Subscriber Hierarchical Level

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
110	2000B	HL04	Hierarchical Child Code	0	1	The value accepted is "0".

Table 15. Loop 2000B SBR Subscriber Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
111	2000B	SBR01	Payer Responsibility Sequence Number Code	P, S	1	The values accepted are "P" or "S".
112	2000B	SBR02	Individual Relationship Code	18	2	For Medicare, the subscriber is always the same as the patient.
113	2000B	SBR09	Claim Filing Indicator Code	МВ	2	For Medicare, the subscriber is always the same as the patient.

10.3.2 Loop 2010BA Subscriber Name

The following tables define the specific details associated with Loop 2010BA Subscriber Name.

Notes:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 16. Loop 2010BA NM1 Subscriber Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
115	2010BA	NM102	Subscriber Entity Type Qualifier	1	1	The value accepted is 1.
115	2010BA	NM105	Subscriber Middle Name or Initial	-	25	The first position must be alphabetic (A-Z).
115	2010BA	NM108	Subscriber Identification Code Qualifier	MI	2	The value accepted is "MI".
116	2010BA	NM109	Subscriber Primary Identifier	-	80	For the Medicare Beneficiary Identifier (MBI): Must be 11 positions in the format of C A AN N A AN N A A N N where "C" represents a constrained numeric 1 thru 9; "A" represents alphabetic character A – Z but excluding S, L, O, I, B, Z; "N" represents numeric 0 thru 9; "AN" represents either "A" or "N".

Note: A hyphen in the table below means N/A.

Table 17. Loop 2010BA DMG Subscriber Demographic Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
120	2010BA	DMG02	Subscriber Birth Date	-	35	Must not be a future date.

10.3.3 Loop 2010BB Payer Name

The following table defines the specific details associated with Loop 2010BB Payer Name.

Table 18. Loop 2010BB NM1 Payer Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
125	2010BB	NM108	Payer Identification Code Qualifier	PI	2	The value accepted is "PI".

10.4 Patient Detail

The following sub-sections contain specific requirements for the Patient Detail.

10.4.1 Loop 2300 Claim Information

The following tables define the specific details associated with Loop 2300 Claim Information.

Notes:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 19. Loop 2300 CLM Claim Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
146	2300	CLM01	Patient Control Number	-	38	Only 20 characters will be stored and returned by Medicare.
147	2300	CLM02	Total Claim Charge	-	18	Must be >=0 and <= 99,999.9.
			Amount			When Medicare is primary payer, CLM02 must equal the sum of all SV102 service line charge amounts. When Medicare is Secondary. Total Submitted Charges (CLM02) must equal the sum of all 2320 & 2430 CAS amounts and the 2320 AMT02 (AMT01=D).
147	2300	CLM05-3	Claim Frequency Code	1	1	Must be equal to "1" (ORIGINAL).
151	2300	CLM20	Delay Reason Code	-	2	Data submitted in CLM20 will not be used for processing.

Notes:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 20. Loop 2300 DTP Date Elements

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
152	2300	DTP03	Accident Date	-	35	Must not be a future date.
153	2300	DTP03	Orthodontic Banding Date	-	35	Must not be a future date.
154	2300	DTP03	Service Date	-	35	Must not be a future date.
155	2300	DTP03	Repricer Received Date	-	35	Must not be a future date.

In the table below, for Loop 2300 Claim Supplement Information, only the first iteration of the PWK, at either the claim level and/or line level, will be considered in the claim adjudication.

Table 21. Loop 2300 PWK Claim Supplement Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
160	2300	PWK02	Attachment Transmission Code	BM, FX, EL, FT	2	Must be "BM", "FX", "EL", or "FT".

Table 22. Loop 2300 HI Health Care Diagnosis Code

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
181	2300	HI01-2	Health Care Diagnosis Code	-	30	A valid diagnosis is required.
						Claims that do not contain a valid diagnosis (pointed to or not) will be rejected for claims with date of receipt on and after 7/1/25.

10.4.2 Loop 2310A Referring Provider Name

The following table defines the specific details associated with Loop 2310A Referring Provider Name.

Note: A hyphen in the table below means N/A.

Table 23. Loop 2310A NM1 Referring Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
191	2310A	NM105	Referring Provider Middle Name or Initial	-	25	The first position must be alphabetic (A-Z).

10.4.3 Loop 2310B Rendering Provider Name

The following table defines the specific details associated with Loop 2310B Rendering Provider Name.

Note: A hyphen in the table below means N/A.

Table 24. Loop 2310B NM1 Rendering Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
197	2310B	NM105	Rendering Provider Middle Name or Initial	-	25	The first position must be alphabetic (A-Z).

10.4.4 Loop 2310C Service Facility Location

The following table defines the specific details associated with Loop 2310C Service Facility Location.

Table 25. Loop 2310C N4 Service Facility Location

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
207	2310C	N4	Service Facility Location Postal Code	-	15	When the postal code does not include a +4 value, use 9998.

10.4.5 Loop 2310E Supervising Provider Name

The following table defines the specific details associated with Loop 2310E Supervising Provider Name.

Note: A hyphen in the table below means N/A.

Table 26. Loop 2310E NM1 Supervising Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
217	2310E	NM105	Supervising Provider Middle Name or Initial	-	25	The first position must be alphabetic (A-Z).

10.4.6 Loop 2320 Other Subscriber Information

The following tables define the specific details associated with Loop 2320 Other Subscriber Information.

Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 27. Loop 2320 SBR Other Subscriber Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
222	2320	SBR01	Payer Responsibility Sequence Number Code	-	1	2320 SBR01 = "P" must be present when 2000B SBR01 = "S".
224	2320	SBR09	Claim Filing Indicator Code	-	2	The value cannot be "MA" or "MB".

In the table below, for Loop 2320 Claim Level Adjustments, CAS segment must not be present when 2000B SBR01 = "P".

Table 28. Loop 2320 CAS Claim Level Adjustments

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
227	2320	CAS01	Claim Level Adjustments	-	2	CAS segment must not be present when 2000B SBR01 = "P".

Table 29. Loop 2320 AMT COB Payer Paid Amount

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
231	2320	AMT01	Coordination of Benefits (COB) Payer Paid Amount	D	3	Medicare requires one occurrence of 2320 loop with an AMT segment AMT01 = "D" must be present when 2000B SBR01 = "S".

10.4.7 Loop 2330A Other Subscriber Name

The following tables define the specific details associated with Loop 2330A Other Subscriber Name.

Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 30. Loop 2330A NM1 Other Subscriber Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
240	2330A	NM105	Other Insured Middle Name	-	25	The first position must be alphabetic (A-Z).

Table 31. Loop 2330A REF Other Subscriber Secondary Identification

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
245	2330A	REF02	Other Insured Additional Identifier	-	9	Must be 9 digits with no punctuation. First 3 digits cannot be higher than "272". Digits 1-3, 4-5, and 6-9 cannot be zeros (0).

10.4.8 Loop 2330B Other Payer Name

The following table defines the specific details associated with Loop 2330B Other Payer Name.

Note: A hyphen in the table below means N/A.

Table 32. Loop 2330B DTP Claim Check or Remittance Date

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
251	2330B	DTP03	Adjudication or Payment Date	-	35	Must not be a future date.

10.4.9 Loop 2400 Service Line Number

The following table defines the specific details associated with Loop 2400 Service Line Number.

Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 33. Loop 2400 SV3 Dental Service

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
282	2400	SV301-1	Product or Service ID Qualifier	AD	2	Must be "AD".
283	2400	SV301-3 SV301-4 SV301-5 SV301-6	Procedure Modifier	KX	2	For claims received on or after 1/1/25, providers may begin reporting the KX modifier, on dental procedure codes, to attest the dental services are inextricably linked to covered medical services under the Medicare fee schedule.
284	2400	SV302	Line Item Charge Amount	-	18	SV302 must be greater than 0. SV302's decimal positions are limited to 0, 1,or 2.

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
286	2400	SV306	Procedure Count	-	15	Must be > 0 with maximum of 4 whole numbers and 1 decimal position (cannot exceed 9999.9).

Note: A hyphen in the table below means N/A.

Table 34. Loop 2400 DTP Service Date

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
290	2400	DTP03	Service Date	-	35	Must not be a future date.
291	2400	DTP03	Prior Placement Date	-	35	Must not be a future date.
292	2400	DTP03	Orthodontic Banding Date	-	35	Must not be future date.
293	2400	DTP03	Replacement Date	-	35	Must not be a future date.
294	2400	DTP03	Treatment Start Date	-	35	Must not be a future date.
295	2400	DTP03	Treatment Completion Date	-	35	Must not be a future date

10.4.10 Loop 2420A Rendering Provider Name

The following table defines the specific details associated with Loop 2420A Rendering Provider Name.

Table 35. Loop 2420A NM1 Rendering Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
317	2420A	NM105	Rendering Provider Middle Name or Initial	-	25	The first position must be alphabetic (A-Z).

10.4.11 Loop 2420C Supervising Provider Name

The following table defines the specific details associated with Loop 2420D Supervising Provider Name.

Note: A hyphen in the table below means N/A.

Table 36. Loop 2420C NM1 Supervising Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
329	2420C	NM105	Supervising Provider Middle Name or Initial	-	25	First position of Supervising Provider Middle Name must be alphabetic (A-Z).

10.4.12 Loop 2420D Service Facility Location

The following table defines the specific details associated with Loop 2420D Service Facility Location.

Note: A hyphen in the table below means N/A.

Table 37. Loop 2420D N4 Service Facility Location

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
446	2420C	N4	Service Facility Location Postal Code	-	15	When the postal code does not include a +4 value, use 9998.

10.4.13 Loop 2430 Line Adjudication Information

The following tables define the specific details associated with Loop 2430 Line Adjudication Information.

Notes:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 38. Loop 2430 SVD Line Adjudication Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
342	2430	SVD03-1	Product or Service ID Qualifier	AD	2	Must be "AD". Claims with "ER" will be rejected.

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
344	2430	SVD05	Paid Service Unit Count	-	15	Must not exceed 4 whole numbers and one decimal position.
						Must be a value greater than or equal to 0 and less than or equal to 9999.9.
344	2430	SVD06	Bundled or Unbundled Line Number	-	6	Must be an integer (no decimals).

Note: A hyphen in the table below means N/A.

Table 39. Loop 2430 DTP Line Check or Remittance Date

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
351	2430	DTP03	Adjudication or Payment Date	-	35	Must not be a future date.

10.4.14 Transaction Set Trailer

The following table defines the specific details associated with the Transaction Set Trailer.

Note: A hyphen in the table below means N/A.

Table 40. SE Transaction Set Trailer

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
353	N/A	SE02	Transaction Set Control Number	-	9	Must have the same value as ST02. Must be greater than zero.

11 Appendices

11.1 Implementation Checklist

Network Service Vendor Connectivity established for sFTP Gateway.

- Practice Management Software supports current HIPAA versions of transaction sets.
- Practice Management Software supports translation of Acknowledgement Transactions.
- EDI Enrollment and Registration Forms on file with NGS.

• Submitter ID established, or Provider Authorization Form submitted for third-party submitter.

11.2 Transmission Examples

Figure 1. 837D Example

```
ISA*00* *00* *ZZ*SENDERID *27*13282 *100706*1100*^*00501*068490001*1*P*>~

GS*HC*SENDERID*13282*20100706*1100*4001*X*005010X224A2~

ST*837*000000001*005010X224A2~

SE*45*000000001~

GE*1*4001~

IEA*1*068490001~
```

11.3 Frequently Asked Questions

Frequently asked questions can be accessed at Medicare FFS EDI Operations
(https://www.cms.gov/ElectronicBillingEDITrans/) and the MEDI Operations
(https://www.ngsmedicare.com/) select Education, Help and FAQ's.

11.4 Acronym Listing

Table 41. Acronyms Listing and Definitions

Acronym	Definition		
276	276 Claim Status Request transaction		
277	277 Claim Status Response transaction		
277CA	277 Claim Acknowledgement		
835	835 Electronic Remittance Advice transaction		
837P	837 Professional Claims transaction		
8371	837 Institutional Claims transaction		
837D	837 Dental Claims transaction		
999	Implementation Acknowledgment		
ASC	Accredited Standards Committee		
CAQH CORE	Council for Affordable Quality Healthcare – Committee on Operating Rules for Information Exchange		
CEDI	Common Electronic Data Interchange		
CG	Companion Guide		
CMS	Centers for Medicare & Medicaid Services		
CMN	Certificate of Medical Necessity		
DME	Durable Medical Equipment		
EDI	Electronic Data Interchange		
ERA	Electronic Remittance Advice		
FFS	Medicare Fee-For-Service		
FISMA	Federal Information Security Management Act		
GS/GE	GS – Functional Group Header / GE – Functional Group Trailer		
HCPCS	Healthcare Common Procedure Coding System		
НІРАА	Health Insurance Portability and Accountability Act of 1996		
НТТР	Hyper Text Transfer Protocol		
HTTPS	Hyper Text Transfer Protocol Secure		
IOM	Internet-only Manual		
ISA/IEA	ISA – Interchange Control Header / IEA – Interchange Control Trailer		

Acronym	Definition		
MAC	Medicare Administrative Contractor		
MBI	Medicare Beneficiary Identifier		
MIME	Multipurpose Internet Mail Extensions		
NCPDP	National Council for Prescription Drug Programs		
NPI	National Provider Identifier		
NSV	Network Service Vendor		
PDAC	Pricing, Data Analysis and Coding		
PECOS	Provider Enrollment Chain and Ownership System		
PHI	Protected Health Information		
PID	Packet Identifier		
sFTP	Secure File Transfer Protocol		
SOAP	Simple Object Access Protocol		
ST/SE	ST – Transaction Set Header / SE – Transaction Set Trailer		
TA2	Interchange Acknowledgment		
TR3	Technical Report Type 3		
TRN	Transaction Acknowledgment report (CEDI proprietary report)		
WSDL	Web Services Description Language		
X12	A standards development organization that develops EDI standards and related documents for national and global markets. (See the official ASC X12 website.)		
X12N	Insurance subcommittee of X12		

11.5 Change Summary

The following table details the version history of this CG.

Table 42. Companion Guide Version History

Version	Date	Section(s) Changed	Change Summary
1.0	May 2024	All	Created Document
2.0	January 2025	Pages 26 & 30	Page 26 updated HI02-2 to change date from 1/1/25 to 7/1/25.
			Page 30 added row for 2400 SV301-3 through SV301-6 and the KX modifier.